



- +91-8855096610 | 9699329089
- trishaelevator@gmail.com
- Near Rai English School. Hiranwar Layout, Yashoda Nagar, Hingana Road, Nagpur-440022
- www.freevisitorcounters.com






Machine Roomless System (MRL)



Hydraulic System (MRL)



Geared Traction Machine

Gearless Machine

Hydraulic Cylinder



ABOUT TRISHA ELEVATOR

Best Lifts Manufacturing Company

At Trisha Elevator, we are dedicated to providing top-quality elevator solutions for both residential and commercial spaces. With years of experience in the industry, we have established ourselves as a reliable and innovative provider of a wide range of elevator products and services. Our commitment to excellence, safety, and customer satisfaction sets us apart as a leader in the elevator industry.

Our Vision

To be a beacon of innovation in the elevator industry, redefining standards of safety, efficiency, and aesthetics. We aim to go beyond the functional aspect of elevators.

Our mission is to create experiences that instill confidence, safety, and convenience for every user, turning each ride into a journey of comfort and trust. Through precision engineering, we strive to design and produce elevator components that set new standards in quality and durability. Our mission is to ensure that every product reflects our dedication to excellence.

Our Mission

"At Trisha Elevator, our vision is to be a beacon of innovation and reliability in the vertical mobility industry, setting new benchmarks and reshaping the future of elevators. We aspire to be a globally recognized leader in the elevator industry, known for our cutting-edge solutions, exceptional service, and unwavering commitment to excellence. We envision a future where our elevator solutions contribute to environmental sustainability. Our goal is to develop and promote eco-friendly and energy-efficient elevator technologies that reduce our carbon footprint.



MR Elevator


Machine Room Elevator


Machine room elevators are durable by design and accurate by technology. We have a wide range of these elevators which are most reliable and designed to suit every construction requirement and provide best vertical transportation solutions, with trouble free performance and low maintenance cost.

These elevators are a perfect blend of Cost friendly and robust performance elevator applications. They have an excellent record of customer satisfaction.

Available Rated Speed Max Travel Height Available Rated Capacity Max Passengers 0:63/1.0/1.5/2 MP 66 M 272 to 1360 Kgs 04 to 20 Passengers

Hoistway Elevation Drawing





Hoistway Machine Room Plan For Manual Door











Machine Roomless ElevatorLess Space Less Energy More Flexibility

Brings you a revolutionary concept in the field of elevators to give you absolute freedom in designing-MRL-Machine Room Less Elevators. Our exclusive Machine room less elevators brings aesthetic enhancements for your structure.

Available Rated Speed 1.00/1.50/2 MPS
Max Travel Height 66 M
Available Rated Capacity 340 to 1768 Kgs
Max Passengers 05 to 26 Person







New generation permanent magnet synchronous gearless traction machine

Construction Parameters

Capacity			Car Inside			ift 'ell	Clear Entrance	Clear Opening At Landing	
Person	KGS	А	В	С	D	Е	F Auto Door	F Manual Telescopic	
6	408	1200	900	1800	1400	700	780 / 2100	1450 / 2350	
8	544	1300	1100	1900	1600	800	880 / 2100	1600 / 2350	
10	680	1300	1300	1900	1800	800	880 / 2100	1600 / 2350	
13	884	1600	1400	2200	1900	900	980 / 2100	1700 / 2350	

- · Above dimension may very as per different types of and equipments.
- All dimensions are in mm.






Passenger Elevator


Automatic doors at grocery stores and office buildings mainly exist for convenience. The automatic doors in an elevator on the other hand, are absolutely essential-they keep people from falling down an open shaft.


Elevators use two different sets of doors: doors on the cars and doors opening into the elevator shaft. The doors on the cars are operated by an electric motor, which in tum is operated by the elevator computer.

Available Rated Speed Max Travel Height Available Rated Capacity Max Person

0.63/1.0/1.5/2 MPS 66 M 272 to 1360 kgs. 04 to 20 Passengers









Loa	ad		Car Inside		Lift	Well	Entr	ance	Pit	Overhead
Person	Kgs	Width	Depth	Height	Width	Depth	Width	Height	Depth	Height
6	408	1100	1000	2150	1850	1400	700	2000	1600	4800
8	544	1100	1300	2300	1950	1700	800	2000	1600	4800
10	680	1300	1350	2300	2050	1750	800	2000	1600	4800
13	884	1300	1700	2300	2100	2100	900	2000	1600	4800
16	1088	1500	1750	2300	2350	2150	1000	2000	1600	4800
20	1360	1500	2000	2300	2350	2400	1000	2000	1600	4800

Above dimension are default / indicative





Home Elevator

Luxury and Convenience in Your Home

Home Elevator is designed to meet vertical transportation needs in private bungalows. It is the ideal solution for elderly and impaired persons who can finally move autonomously and free from stairs.

It is a modern product, designed and manufactured to meet a wide range of needs from the garage to the roof, you can move effortlessly up to 4 floors.

Main feature and benefits:


- Runs with single phase power supply.
- Required very compact overhead space and pit area.
- Saves up 40% energy compared to hydraulic elevator.
- Noiseless and vibration free.
- Easy to install and maintain


Available Rated Speed Max Travel Height Available Rated Capacity Max Passengers

0.30/0.63 MPS 12 M 300 to 450 Kgs

4 to 6 Passengers

HOISTWAY ELEVATION PLAN











Door Operation	Load		Lift Well		Car Inside		Entrance	Speed	Pit	Over Head	
	Persons	KGS	С	D	А	В	E	(MPS)			
Manual Door	3	204	1100	1200	810	700	700	0.3	550	3100	
Manual Door	4	272	1300	1400	800	1200	700	0.3	550	3100	
Auto Door	3	204	1250	1250	810	700	700	0.3	550	3100	
Auto Door	4	272	1300	1600	850	1150	700	0.3	550	3100	

Note: This Is Our Standard Data, If other Special Requirement Please Contact us.





Hospital Elevator

Can Save Time for Quick Rescue

- The Hospital Elevator is designed Especially for Patient Vertical Transportation in Hospital.
- In Elevator Cabin Wheelchair & Stretcher Can be Accomoted.
- No Jerk is experienced at the Starting & Stopping of Elevator.
- Size of Elevator Cabin & Doors can be Adjustable as Availability of Hoistway.
- Elevator Car with two Opposite Side Opening is Possible, if required.
- Cabin is washable with Wet Cloth.


Available Rated Speed 0.30/0.63 MPS

Max Travel Height 12 M


Available Rated Capacity 300 to 450 Kgs

Max Passengers 4 to 6 Passengers


Hoistway Elevation Drawing



Section : X-X - Lift Well



Hoistway Elevation Plan





Automatic Centre Opening Door

Capa	acity	Shaft W	Shaft D	Car W	Car D	Shaft W	Shaft D	Car W	Car D	Entrance
Person	KG.	А	В	С	D	А	В	С	D	E
10	680	1900	3000	1000	2400	1700	3000	1000	2400	700
15	1020	1900	3000	1000	2400	1700	3000	1000	2400	800
20	1360	2300	3000	1300	2400	1950	3000	1300	2400	900
26	1768	2600	3000	1600	2400	2100	3000	1600	2400	1000

Collapsible Door Can Be Provided If Required.

Automatic Telescopic Door









M.S. Checker Plate

Goods Elevator

Save Valuable Time as Well As Energy

Special Features:


- Goods Lifts are amalgamation of Cranes and lift technology.
- Mechanisms Mounted on Fabricated Frame
- All Door entries fitted with collapsible doors.
- Cabin height not less than 2100mm..
- Cabin floors are covered with chequer plate.
- If one rope fails another rope holds the cabin from falling.
- If any gate is opened Gobds Lift Will not operate.
- All floor doors are fitted With limit switches.


Available Rated Speed Max Travel Height Available Rated Capacity

0.50/1.00/1.50 MPS

66 M

500 to 3000 Kgs







Heavy Duty Traction Machine



Accurate Leveling

Load	Lift	Lift Well Car Inside		nside	Entra	ance	Machin	ie Room	UPTO 0.7 M / SEC.	
Weight	Wid	lth	Depth	Width	Depth	Width	Depth	Height	Pit	O.H.
IN KG	Α	В	C	D	E	F	G	Н	K	M
500	1900	1500	1100	1200	750	3000	3800	2500	1600	4800
1000	2300	2100	1400	1800	1000	3000	4000	2500	1600	4800
1500	2600	2300	1700	2000	1250	3200	4200	2500	1600	4800
2000	2600	2800	1700	2500	1500	3200	4200	2500	1600	4800
2500	2900	2800	2000	2500	1500	3500	4400	2500	1600	4800
3000	2900	3300	2000	3000	2000	3500	4500	2500	1600	4800
4000	3400	3300	2500	3000	2000	4000	4600	2500	1600	4800
5000	3400	3900	2500	3600	2500	4500	4500	2500	1600	4800

All Dimension are in mm. This is General Data, without notice.



Car Elevator

The Most Reliable Parking Assistants

Car elevators help to alleviate the problems of finding sufficient parking space in busy areas, and save on costly land in commercial space.


These lifts smoothly transport vehicles to the tops of building, or to basements and showrooms.


They are carefully engineered for independent access of vehicles in private homes or multi-family residences where space is valuable



0.30/0.50 MPS 30 M

2500 to 4000 Kgs







Bi-Partical Door

Description	Vertical Transportation for Cars/ LMVs
Segment	Industrial applications & Car Parks
Max. travel (m)	100 (Solutions available for higher travel)
Max. load (kg)	500 - 5000 Kg (Solutions available for higher capacities)
Max. speed (m/s)	0.5 mps (Solutions available for other speeds)

Different Type Car Parking Lift



Two Car Parking System



Car Puzzle Parking



Electric Scissor Car Lift





For Low Rise

Looking for a low-maintenance elevator Hydraulic elevator provide the advantages of being relatively inexpensive, safe and easy to maintain. They're very convenient and cost-effective solution for low-rise buildings with low traffic.

Hydraulic elevators have been rated the safest option for home elevators. They boast superb user friendliness and easy access machine room located at the basement. Once they are put in place, hydraulic elevators provide the smoothest rides possible.


Available Rated Speed Max Travel Height Available Rated Capacity Max Passengers

0.30 MPS 30 M 204 to 408 Kgs

3 to 6 Passengers



HOLE TYPE ACTING




It is a directly acting suspension with a simple or split piston. It is the simplest solution of suspension for any load.

Persons	Capacity	Car-W	Car-D	Shaft-W	Shaft-D
	Kg	(A)	(B)	(C)	(D)
3	225	800	1100	1500	1500
4	300	850	1050	1550	1550
5	375	1000	1200	1600	1600
6	450	1100	1250	1700	1700
8	600	1200	1500	1700	1800
10	750	1200	1700	1700	2000
12	900	1300	1800	1900	2100
15	1125	1300	2200	2000	2500
20	1500	1400	2500	2100	2800
24	1800	1500	2500	2200	2800





Service Goods Lift





TE-01 Stainless Steel & Half Glass Designer Cabin

Cabin Designs

Freedom of designs

Create the look and feel you like. Combine colors, materials, lighting, mirrors, handrails and fixtures to achieve the ambiance that fits both your ideas and your building.

Choose from one of our four interior design lines or design the whole car to your own taste.



TE-02 M.S. & Glass Designer Cabin



TE-03 Wooden & Glass Designer Cabin



TE-04 Stainless Steel & Glass Designer Cabin





TE-05 Stainless Steel & Glass Decorative Cabin



TE-06
S.S. Hairline & Glass Designer Cabin





TE-07
Rose Gold & Glass Designer Cabin



Design lines, colors and materials. Design that speaks to your senses.



TE-08 Golden Designer Cabin



TE-09 Golden Designer Cabin



TE-10 Golden Designer Cabin







TE-11
S.S. Hairline & Designer Cabin



TE-12 Golden Designer Cabin



Stainless Steel Walls



Pre-Coated Steel Panels



Powder Coated Panels







Automatic Door



Hairline Finish Telescopic Autodoor



Center Opening Plain S.S. Door



Rose Gold Center Opening Autodoor



Center Opening Auto Door (Small Vision)

Center Opening Auto Door (Four Panel)



Full Glass Door



Full Vision Glass Door



Half Glass Autodoor

Manual Door




Manual Imperforates Door



Manual Collapsible Door



Manual Telescopic Door



Manual Swing Door



M.S. Powder Coated Frame Full Glass Swing Door



A wide variety of operating panels for lifts with great flexibility in special construction.



Push Button



Car Operating Panel & COP & LOP Landing Operating Panel



EL 03 COP - LOP



SM: GRAND COP-LOP

Display of Calling Box



Vertical Display Effect



Horizontal Display Effect



TFT Color Display



Monochrome



SM : Classic COP-LOP



SM: I TOUCH Black COP-LOP





Green Installment Saving Environment Friendly







Comfortable



Gearless Machine



MRL Gearless Machine



Mini Gearless Machine

Lift Duty Reduction Geared Machine Units



Montanari Heavy Duty Traction Geared Machine



M67 **Geared Traction Machine**



CAULDRON - 135N **Geared Traction Machine**

Controller

The safe and More Energy-Saving Integrated control



Traction MR Geared Controller



STEP. Elevator Parallel Integrated Controller



Arkel



Elevator Serial Integrated Controller

Feature Rich Elevators

Trisha Elevator Services Comes with many Variable Features



Door Frames:

DT Allianz Lifts come with elegant door frames in Stainless Steel or Mild Steel finishes that gives strength as well as enlarged appearance.



Infrared Door Detector:

A full height curtain of infrared beams to prevent accidental closing of the door.




Auto Shut off Car Light / Fan:

If there is no call for a specific period, the car lighting and ventilation Fan will automatically turn off to conserve energy.



Regenerative Converter:

For energy conservation, power generated by a traction machine can be used by other electrical systems in the building.



Over Load Indicator:

In case the lift is overloaded than its rated capacity an audible / visual signal turns on.



Supervisory Panel:

Each elevator status and operation can be remotely monitored and controlled through a panel installed in a building's supervisory room etc.



Automatic Rescue Device (ARD)

Automatically takes the lift to the nearest level in case of power interruption, doors open to facilitate the safe evacuation of passengers.



WWF Controllers:

The Variable Voltage Variable Frequency (VVVF) control ensures 50% energy savings. It also creates a super comfortable ride quality with jerk free starts and stops.

Smooth acceleration and deceleration and no landing variations. In the long run, this prevents wear and tear of components which means less downtime and huge saving on spares.





Stainless Steel Buttons:

Sophisticated design buttons flush with backplate having Orange / Red illumination with engraved numbers. Highly temper resistance with / without braille markings.



VVVF Door Controller:

Silken smooth door movement. Advanced features like adjustable independent times for opening and closing. Slow nudging feature ideal for high traffic situations.



LCD / TFT Position Indicators:

The LCD or TFT display of Car operating panel shows the car position, travel direction and elevator status message.



Floor Annunciator:

Recorded voice with music announces the floor number on arrival.



Inter communication system:

A system which allows communication between passengers inside the car and the building personnel.



Extended Door Open Button:

When the button inside the car is pressed the doors will remain open longer to allow loading and unloading of baggage, a stretcher etc.



Fire Emergency Operation:

To enable fire service personnel to take over complete control over the elevator.



Car Arrival Chime:

Electronic chimes sound to indicate that Car has arrived floor (for duplex only)



Emergency Car Lighting:

Car Lighting which turns on immediately when power fails, providing a minimum level of lighting within the



We are Technically Associated with













































Safety is everything.

When passengers ride our elevators we want them safe.



New Installation

Installation works are carried out after discussions on the type of lifts required to meet the demands of the buildings, using the latest technology and equipment.

Maintenance Contract

We are one of the reliable and well know service providers for elevators maintenance. We offer our clients' annual maintenance contract for all types of lifts.

Modification

We modify our clients elevator with the latest and updated techniques, technology, design and compact features to ensure maximum safety and to reduce the energy cost.

Repair & Service

We posses dynamic professionals to provide repairing and other maintenance service at market price for better functioning of the elevators and its inner devices.











